Wavin A-Pex



PEX Potable Water Tube - Cold Expansion & Crimp Connections

Overview

Wavin A-Pex tubing is manufactured for use in hot and cold potable water distribution including industrial, commercial, high-rise and multi-family residential facilities.

- Duolayer pipes
- Made in 1/2", 3/4", 1", 1-1/4", 1-1/2" and 2" nominal sizes
- Available in coils and in straight lengths.
- The tubing is made to CTS (Copper Tube Size) outside dimensions and an SDR (Standard Dimension Ratio) of 9.

Technical Data

Material:

Crosslinked polyethylene,

PEX Peroxide Method (PEX-a), conforms to PEX 5206

Continuous working pressure:

690 kPa - 82°C / 100 psi @ 180°F 1103 kPa - 23°C / 160 psi @ 73°F

Chlorinated Potable Water:

550 kPa - 60°C / 80 psi @ 140°F

Caution: do not use pipe when chlorine dioxide is present in the water treatment system as it might significantly reduce the lifetime.

Standards



CSA B137.5; ASTM F876; ASTM F877

Compatible fittings:

ASTM F1960; CSA B137.5; ASTM F2159; ASTM F1807; ASTM F2098

Listings

Listee holder, Wavin USA Inc.

NSF 14; NSF 61; cNSF®us pw; CSA B137.5; ASTM F876; ASTM F877


The tubing also has listings with:

- *ICC Evaluation Service product certificate PMG-1559
- ★ASTM E84

For detailed information, please refer to:

*ICC -ES PMG-1559

https://icc-es.org/pmg-listing-program/listing-directory/





Wavin A-Pex

Pipe Features

High chlorine resistance

- Resistant to chlorine in most demanding conditions (hot water domestic continuous recirculation)
- Provides long term protection against chlorine degradation

UV resistant

3 months

Versatility

- Use with cold expansion joining methods or crimp joining methods
- Increased flexibility

Project Info

-			
Engineer:			

Contractor:

Job name:

Manufacturer's		
representative:		

Location:

Date	cub	mit	tod:

Submitted by:

Approved by:





Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose:

To Advance Life Around the World.

Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions.

 $\textbf{Wavin} \ 950 \ \text{Winter Street}, \ \text{South Entrance 1st Floor}, \ \text{Waltham, MA} \ 02451, \ \text{United States} \ | \ 5700 \ \text{Côte de Liesse Montréal}, \ \text{QC H4T 1B1} \ \text{Phone CAN } \ 514-735-7585 / \ 1800-561-1169 \ | \ \text{US} \ 514-735-3632 / \ 1800-763-3632 \ | \ \text{E-mail wavin.northamerica@wavin.com} \ | \ \text{wavin.us} \ | \ \text{W$