

**Wavin**  
Pricelist 2023

# Pex Pipe System

Potable and Hydronic



An Orbia business.



# Pex Pipe System

Potable and Hydronic

- Potable
- Hydronic
- Fittings
- Tools
- Pipe hangers




# Contents

<b>Potable</b>	<b>04</b>
SuperPEX resistant potable water pipe	04
BowPEX mono layer natural colored pex pipe	05
Pex Potable Water Tubing with Trace Wire	05
<b>Hydronic</b>	<b>06</b>
OxyPex oxygen barrier radiant heating pipe	06
OxyPert temp resistant hydronic heating pipe	07
<b>Fittings</b>	<b>08</b>
Polyalloy Insert Fittings	08
No-Lead Brass Fittings	09
No-Lead Stops & Valves	10
Copper Elbows and Manifolds	11
Rings & Sleeves	11
<b>Tools</b>	<b>12</b>
<b>Pipe Hangers</b>	<b>13</b>
<b>Notes</b>	<b>14</b>
<b>Conditions of Sale</b>	<b>16</b>
<b>Warranty</b>	<b>17</b>

**PRESSURE SYSTEM:**  
100 PSI @ 82°C (180°F)  
160 PSI @ 23°C (73°F)

**ASTM F876/F877**  
AWWA C904 (1/2" and above)  
CSA B137.5

Highest Chlorine Resistance



## Lengths



Dimension Nominal	Dimension O.D.	Cold/Hot White	Cold Blue	Hot Red	Lengths	QTY/PKG	QTY Crate	Price Per 100'
1/2"	.625	588699	587774	587782	10'	250'	10,000'	212.75
		588707	589663	589903	20'	500'	20,000'	212.75
		588780	587790	587808	10'	100'	5,000'	384.53
3/4"	.875	588798	589671	589911	20'	200'	10,000'	384.53
		587147	587402	587741	20'	100'	5,500'	659.73

## SmartCoil



**SmartCoil™**

Saves time, ensures precision! SmartCoil packaging allows you to pull the desired length of the pipe while keeping the rest wound and wrapped for future use!

Dimension Nominal	Dimension O.D.	Cold/Hot White	Cold Blue	Hot Red	Coils	QTY/PKG	QTY Crate	Price Per 100'
3/8"	.500	588392			100'	100'	5,000'	189.33
1/2"	.625	588855	589705	589804	100'	100'	5,000'	212.75
		588863	589713	589812	250'	250'	7,500'	212.75
		588871	589721	589820	300'	300'	9,000'	212.75
		588889	589739	589838	500'	500'	6,500'	212.75
		588897	589747	589846	1000'	1000'	8,000'	212.75
3/4"	.875	588939	589754	589853	100'	100'	4,000'	384.53
		588947	589762	589861	250'	250'	3,750'	384.53
		588954	589770	589879	300'	300'	4,500'	384.53
		588962	589788	589887	500'	500'	5,000'	384.53
		588970	589929	589937	1000'	1000'	5,000'	384.53
1"	1.125	587154	587717	587758	100'	100'	3,000'	659.73
		587162	587733	587766	300'	300'	2,400'	659.73
		587170	587956		500'	500'	2,500'	659.73

# BowPEX

Mono Layer Natural Colored Pex Pipe



- ⌚ For hot and cold water distribution
- ⌚ Chlorine resistant
- ⌚ Joints can be made with crimp rings or BOW's stainless steel press sleeves
- ⌚ Lead free

**CSA B137.5**  
**ASTM F876/F877**



## SmartCoil

Dimension Nominal	Dimension O.D.	Item (Black)	Coils	QTY/PKG	QTY Pallet	Price Per 100'
1/8"	.250	580241	500'	500	25,000	107.00
1/4"	.375	588376	100'	100	8,000	152.26

# Bow SuperPEX

Pex Potable Water Tubing With Tracer Wire



Suitable for direct burial in the ground to facilitate the detection and tracing of underground pipe systems.

**CSA B137.5**  
**ASTM F876**  
**AWWA C904**



## SmartCoil (Blue) 14 GAUGE

Dimension Nominal	Dimension O.D.	Item	Coils	QTY/PKG	QTY Pallet	Price Per 100'
3/4"	.875	586941	60'	60'	1800	600.47
3/4"	.875	586958	75'	75'	2250	600.47
1"	1.125	586966	60'	60'	2400	875.51
1"	1.125	586974	75'	75'	3000	875.51
1"	1.125	586917	100'	100'	3000	875.51

**PRESSURE SYSTEM:**  
100 PSI @ 82°C (180°F)  
160 PSI @ 23°C ( 73°F)

**ASTM F876/F877**  
DIN 4726  
CSA B137.5

SmartCOil™



### Lengths

Dimension Nominal	Dimension O.D.	Item	Lengths	QTY/PKG	QTY Crate	Price Per 100'
1/2"	.625	588764	20'	500'	20,000'	357.19
3/4"	.875	588772	20'	200'	10,000'	509.45
1"	1.125	587378	20'	100'	5,500'	1,098.93

### SmartCoil



SmartCOil™

Dimension Nominal	Dimension O.D.	Item	Coils	QTY/PKG	QTY Crate	Price Per 100'
3/8"	.500	587923	100'	100'	5,000'	283.03
		587246	300'	300'	12,000'	283.03
		587253	500'	500'	7,500'	283.03
		587261	1000'	1000'	10,000'	283.03
1/2"	.625	589978	100'	100'	5,000'	357.19
		587410	300'	300'	9,000'	357.19
		588475	500'	500'	6,500'	357.19
		588145	1000'	1000'	8,000'	357.19
		587816	1200'	1200'	8,400'	357.19
		587931	100'	100'	4,000'	413.81
5/8"	.750	587279	300'	300'	4,500'	413.81
		587287	400'	400'	4,800'	413.81
		587295	500'	500'	5,000'	413.81
		587303	1000'	1000'	5,000'	413.81
		587964	100'	100'	4,000'	509.45
3/4"	.875	587949	300'	300'	4,500'	509.45
		588483	500'	500'	5,000'	509.45
		588251	1000'	1000'	5,000'	509.45
		587477	100'	100'	3,000'	1,098.93
1"	1.125	587188	300'	300'	2,400'	1,098.93
		587386	500'	500'	2,500'	1,098.93

# OxyPert

Raised Temperature Resistant Hydronic Heating Tubing



OXYPERT® tubing is an ideal choice.

- ⌚ For circulation heating applications such as radiant slab heating system for concrete, snow melting applications and baseboard heating.
- ⌚ Great flexibility of the pipe reduces installation cost.
- ⌚ Eco-friendly; recyclable.

ASTM F2623



**PRO** Quality  
**SmartCoil™**



## Lengths

Dimension Nominal	Dimension O.D.	Item (Black)	Lengths	QTY/PKG	QTY Pallet	Price Per 100'
1/2"	.625	578674	12'	300	13,500	356.68
		578492	20'	500	20,000	356.68
3/4"	.875	578682	12'	120	6,600	510.25
		578567	20'	200	10,000	510.25
1"	1.125	578625	20'	100	5,500	733.49



## SmartCoil

Dimension Nominal	Dimension O.D.	Item (Black)	Coils	QTY/PKG	QTY Pallet	Price Per 100'
1/2"	.625	578500	100'	100	5,000	356.68
		578518	250'	250	7,500	356.68
		578526	300'	300	9,000	356.68
		578534	500'	500	6,500	356.68
		578542	1000'	1000	8,000	356.68
		578559	1200'	1200	8,400	356.68
5/8"	.75	578443	100'	100	4,000	414.49
		578450	300'	300	4,500	414.49
		578468	400'	400	4,800	414.49
		578476	500'	500	5,000	414.49
		578484	1000'	1000	5,000	414.49
3/4"	.875	578575	100'	100	4,000	510.25
		578583	250'	250	3,750	510.25
		578591	300'	300	4,500	510.25
		578609	500'	500	5,000	510.25
		578617	1000'	1,000	5,000	510.25
1"	1.125	578633	100'	100	3,000	733.49
		578641	300'	300	2,400	733.49
		578658	500'	500	2,500	733.49

# Polyalloy Fittings

For Use With SuperPEX Pipe

ASTM F2159

## Tee



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	503102	25	250	2.48
1/2" x 1/2" x 3/4"	503169	25	250	3.60
3/4"	503110	25	250	3.60
3/4" x 1/2" x 1/2"	503177	25	250	3.60
3/4" X 1/2" X 3/4"	503185	25	250	3.98
3/4" x 3/4" x 1/2"	503193	25	250	3.60
1"	503201	10	100	9.20
1" X 3/4" X 3/4"	503227	10	100	8.30
1" X 1" X 1/2"	503235	10	100	8.30
1" x 1" x 3/4"	503219	10	100	8.15

## 90° Elbow



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	503300	25	250	1.63
3/4"	503318	25	250	3.13
3/4" x 1/2"	503367	25	250	3.45
1"	503375	10	100	6.98

## Coupling



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	503011	25	250	1.37
3/4"	503029	25	250	2.09
3/4" x 1/2"	503037	25	250	1.96
1"	503458	10	100	3.72
1" x 3/4"	503466	10	100	4.57

## Plug



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	503409	25	250	1.05
3/4"	503417	25	250	1.57
1"	503425	10	100	2.87

## Male Adapter

(Pex x MPT)



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	503045	25	250	4.36
1/2" x 3/4"	503078	25	250	5.08
3/4"	503052	25	250	5.59
3/4" x 1/2"	503086	25	250	5.08

## Female Faucet Adapter

(Swivel x NPSM)




Dimension	Item	STD/ PACK	Carton	List Price
1/2"	503060	25	250	7.69

## Polyalloy Manifolds No Lead

For PEX Plumbing and Heating Systems. High impact and corrosion resistant (NSF Approved).

Branches	Dimension	Item	STD/ PACK	Carton	List Price
2 (1/2")	3/4" Barb Closed End	503474	5	150	11.95
3 (1/2")	3/4" Barb Closed End	503482	5	90	15.32
4 (1/2")	3/4" Barb Closed End	503490	5	60	20.61
6 (1/2")	1" Barb Closed End	503508	5	30	27.33
2 (1/2")	3/4" x 3/4" Barb Open End	503516	5	150	12.40
3 (1/2")	3/4" x 3/4" Barb Open End	503524	5	90	16.70
4 (1/2")	3/4" x 3/4" Barb Open End	503532	5	60	21.34
6 (1/2")	3/4" x 3/4" Barb Open End	503540	5	30	24.05





# No Lead Brass Fittings



## Tee

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524439	25	250	4.76
1/2" x 1/2" x 3/4"	524447	25	250	7.50
3/4"	524454	25	250	7.95
3/4" x 1/2" x 1/2"	524462	25	250	7.50
3/4" X 1/2" X 3/4"	524470	25	250	7.63
3/4" x 3/4" x 1/2"	524488	25	250	7.63
3/4" x 3/4" x 1"	524850	10	50	12.91
1"	524504	10	50	12.26
1" x 3/4" x 1/2"	524843	10	50	12.90
1" X 3/4" X 3/4"	524512	10	50	18.13
1" x 3/4" x 1"	524835	10	50	12.90
1" X 1" X 1/2"	524520	10	50	9.72
1" x 1" x 3/4"	524538	10	50	9.78



## Elbow 90° (Barb X Barb)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524363	25	250	3.06
3/4"	524371	25	250	5.22
3/4" x 1/2"	524389	25	250	7.34
3/4" x 1	524405	10	50	9.60
1"	524397	10	50	9.60



## Elbow 90° (Barb X Mpt)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524678	10	50	11.50
3/4"	524827	25	100	12.90



## Elbow 90° (Female Sweat X Pex Barb)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524801	25	250	2.55
3/4"	524819	25	250	3.55



## Elbow 90° (Male Sweat X Pex Barb)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524777	25	250	2.55
3/4"	524785	25	250	3.55



## Wing Elbow

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524322	25	100	12.40
3/4"	524348	25	100	21.20
3/4" x 1/2"	524330	25	100	21.20



## Coupling

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524561	25	250	2.15
3/4"	524579	25	250	4.05
3/4" x 1/2"	524587	25	250	3.40
1"	524603	10	50	6.00
1" x 3/4"	524595	10	50	5.35



## Coupling (Barb X Poly-B)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524546	25	250	7.82
3/4"	524553	25	250	8.36
1"	524900	10	50	38.93



## Sweat Adapter (Barb X Male)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524645	25	250	2.80
3/4"	524652	25	250	4.37
3/4" x 1/2"	524751	25	250	4.75
1"	524660	10	50	4.75



## Sweat Adapter (Barb X Female)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524140	25	250	2.80
3/4"	524157	25	250	4.76
1"	524165	10	50	7.95
1" x 3/4"	524173	10	50	27.24



## Male Adapter (Barb x MPT)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524181	25	250	5.41
1/2" x 3/4"	524207	25	250	14.35
3/4"	524215	25	250	7.89
3/4" x 1/2"	524223	25	250	10.17
3/4" x 1"	524983	10	50	24.44
1"	524231	10	50	14.35
1" x 3/4"	524249	10	50	14.35

## Fittings

# No Lead Brass Fittings


ASTM F1807



### Female Adapter

(Barb X FPT)

Dimension	Item	STD/ PACK	Carton	List Price
3/8" x 1/2"	524256	25	250	18.28
1/2"	524264	25	250	5.41
1/2" x 3/4"	524306	25	250	13.37
3/4"	524272	25	250	7.30
3/4" x 1/2"	524280	25	250	13.37
3/4" Barb x Swivel	524314	25	250	12.90
3/4" x 1"	524355	10	50	29.80
1"	524991	10	50	18.91



### Swivel Adapter

(Barb x NPSM)

Dimension	Item	STD/ PACK	Carton	List Price
1/2" x 1/2"	524769	25	250	4.39



### Plug

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	524611	25	250	2.09
3/4"	524629	25	250	3.45
1"	524637	10	50	10.43



### Swivel Adapter

(Barb x NPSM Swivel 90°)

Dimension	Item	STD/ PACK	Carton	List Price
1/2" x 90°	524793	25	250	4.45



### Swivel Nut

(Plastic)

Dimension	Item	STD/ PACK	Carton	List Price
1/2"	569012	25	250	1.63

# No Lead Stops & Valves



### Valves

Barb x Hose (Handles may vary)

Dimension	Item	STD/ PACK	Carton	List Price
1/2" Angle/Brass	524728	25	100	28.67



### Stops

Barb x Compression

Dimension	Item	STD/ PACK	Carton	List Price
1/2" x 3/8" Angle/Chrome	524686	25	100	26.59
1/2" x 3/8" Straight/Chrome	524694	25	100	26.59



### Valves

Barb x Barb

Dimension	Item	STD/ PACK	Carton	List Price
1/2" Straight/ Brass	524702	25	100	24.09
3/4" Straight/ Brass	524710	25	100	29.49



### "Push-Fit" 1/4 Turn Ball Valve

For use with PEX, CPVC CTS and Copper Tubing.

Ideal for adding a new line to an existing line by tapping into a 1/2" nominal CTS line (PEX, CPVC or Copper).



Dimension	Item	STD/ PACK	Carton	List Price
1/2" Push-Fit x 1/2" Push-Fit x 1/4" O.D. Compression	524868	10	100	31.73

### Icemaker Installation Kit

Can also be used for Hot and Cold Water Dispensers or Humidifiers.

Includes 1/2" "Push-Fit" quarter turn ball valve.

All you need in one kit!



Dimension	Item	STD/ PACK	Carton	List Price
Icemaker Installation Kit	181214	6	6	40.52



**Package Contains:**  
 1 1/8" X 25' Bowpex Pipe (Coil)  
 1 Push-Fit 1/2 Turn Ball Valve  
 1 Disconnect Clip (1/2")  
 1 Chrome Plated Compression Nut (Extra)  
 1 Copper Compression Sleeve  
 2 Plastic Ferrules

## Fittings

# Copper Elbows & Manifolds

ASTM F1807



### Stub Out Elbow

Without Support

Dimension	Item	Carton	List Price
1/2" BARB x 3-1/2" x 6"	*540807	25	13.52
1/2" BARB x 3-1/2" x 8"	*540997	25	15.35



### Stub Out Elbow

With Support

Dimension	Item	Carton	List Price
1/2" BARB x 3-1/2" x 6"	*540815	25	18.83
1/2" BARB x 3-1/2" x 8"	*541011	25	20.67
3/4" BARB x 4-1/2" x 8"	*541201	25	33.13

### Tub Valve Adapter

1/2 Barb x Sweat



Dimension	Item	Carton	List Price
1/2"	*510818	25	13.36

\*Not NFS Listed

## Copper Manifolds

For PEX Plumbing and Heating Systems

All models have 1" nominal type "L" Copper Trunk and 1/2" PEX Barb connections.

Branches	Dimension	Item	Carton	List Price
4 (1/2")	3/4" Barb x Closed End	*540922	25	112.78
4 (1/2")	3/4" Sweat Male x Closed End	*541029	25	112.78
5 (1/2")	3/4" Barb x Closed End	*540930	25	126.53
6 (1/2")	3/4" Barb x Closed End	*540948	25	95.23
6 (1/2")	3/4" Sweat Male x Closed End	*541037	25	143.24
8 (1/2")	3/4" Barb x Closed End	*540955	25	114.31
8 (1/2")	3/4" Sweat Male x Closed End	*541052	25	185.67
9 (1/2")	3/4" Barb x Closed End	*540963	25	211.95
9 (1/2")	3/4" Sweat Male x Closed End	*541060	25	212.19
10 (1/2")	3/4" Barb x Closed End	*540971	25	132.05
12 (1/2")	3/4" Barb x Closed End	*540989	25	263.93



## Rings & Sleeves

### Metallic Crimp Rings

(Copper)



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	510172	100	1000	.67
3/4"	510180	100	500	.75
1"	510198	100	500	1.49

### Stainless Steel Press Sleeves



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	511808	100	1000	1.20
3/4"	511816	100	600	1.32
1"	511824	50	350	1.73





## Fittings

# Tools

For Metallic Crimp Rings





### Compact Crimp Tools (Angle)

(Crimp Gauge Included)

Dimension	Item	STD/ PACK	Carton	List Price
 1/2"	563734	2	10	183.40
 3/4"	563411	2	10	192.90
 1/2" & 3/4" Combo	563916	2	10	252.95
 1"	565283	1	10	252.95

### Crimp Tools


(Crimp Gauge Included)

Dimension	Item	STD/ PACK	Carton	List Price
 1/2"	564518	2	10	177.09
 3/4"	564617	2	10	177.09
 1"	560755	1	10	202.38
 1/2" & 3/4" Combo	564286	2	10	196.03

### Pex Ring Cutter

Dimension	Item	STD/ PACK	Carton	List Price
 1/2" to 1"	563742	1	10	99.61

### Mini Crimp Tool

Dimension	Item	STD/ PACK	Carton	List Price
 3/8" to 1"	564351	3	3	120.44

# Tools




For Stainless Steel Sleeves

Tool forms two unique circular grooves for leak-free crimp connections







### Compact Crimp Tools (Angle)

For stainless steel sleeves

Dimension	Item	STD/ PACK	Carton	List Price
 1/2"	565457	1	20	183.40
 3/4"	565481	1	20	192.90
 1"	565572	1	10	252.95



### Compact Crimp Tools

For stainless steel sleeves

Dimension	Item	STD/ PACK	Carton	List Price
 1/2"	565382	1	10	177.09
 3/4"	565416	1	10	177.09
 1"	565440	1	10	202.38
 1/2" & 3/4" Combo	565424	1	10	196.03

### Go-Gauge

For stainless steel sleeves

Dimension	Item	STD/ PACK	Carton	List Price
 1/2" & 3/4"	181065	1	25	22.55
 1"	181073	1	10	22.55

# Tools



## Tube Cutter

For Pex & CpvC Tubing

Dimension	Item	STD/ PACK	Carton	List Price
3/8" to 1" O.D.	581991	5	100	39.88



Dimension	Item	STD/ PACK	Carton	List Price
Replacement Blade	559930	1	1	13.28



## Crimp Gauge "Go/No Go"

Dimension	Item	STD/ PACK	Carton	List Price
3/8", 1/2", 3/4" & 1"	560441	1	1	40.61

# Pipe Hangers

## J-Strap Hangers

(Nails Included)



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	541540	100	1000	2.26
3/4"	541649	100	1000	3.30
1"	541144	50	500	4.07

## Suspension Pipe Clamps



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	560110	100	1000	1.65
3/4"	560219	100	500	2.17
1"	560318	50	250	2.68


## Plastic U-Strap Hangers

(Nails not included)



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	541342	100	1000	1.30
3/4"	541441	100	1000	1.78

## Pipe Insulators



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	562660	50	250	5.57
3/4"	562876	50	250	5.59

## Click Hangers



Dimension	Item	STD/ PACK	Carton	List Price
1-1/4"	562561	25	250	8.92
1-1/2"	562637	25	25	9.73

## Plastic Bend Support



Dimension	Item	STD/ PACK	Carton	List Price
1/2" - 5/8"	514737	10	100	4.25
3/4"	514745	10	50	6.13
1"	514752	5	50	12.98

## Split Tube Clamps



Dimension	Item	STD/ PACK	Carton	List Price
1/2"	560383	100	1000	3.95
3/4"	561514	100	500	4.42
1-1/4"	561936	25	250	9.73
1-1/2"	562017	25	250	13.75
2"	562116	50	250	33.50







## Potable & Hydronic Pex Systems

### Conditions of sales

In addition to the General Terms and Conditions of Sale found on our website, <https://www.bow-group.com/terms-and-conditions>, the following also applies to all sales of our Wavin products:

### Freight

Freight is prepaid on orders totaling \$2500.00 net.  
All products except ABS Pipe may be combined.

### Minimum Order

The minimum order is \$300.00 net.





## 25 Year Limited Warranty

Subject to the conditions and limitations in this Limited Warranty, Wavin guarantees its BOW SUPERPEX, OXYPEX, BOWPEX, OXYPERT pipe, as well as its Polyalloy insert fittings, against defects resulting from faulty manufacturing for 25 years from the initial date of sale by Wavin. Wavin will not be liable for damages caused by raw materials or component defect failures.

Defects and failures must be reported to Wavin within 30 days after such failure occurs. The claimant under this Limited Warranty will be required to return the product to Wavin at claimant's expense for analysis by Wavin. If the conditions of this Limited Warranty are met, Wavin will ship, free of charge and freight prepaid, a quantity of product equal to the failed product or will reimburse the purchase price of the failed product at Wavin's option. In no case, will claims for labor charges, consequential property damage or personal injury be honored.

This Warranty is the only Warranty made by Wavin and is expressly in lieu of all other warranties expressed by anyone or implied, including implied warranties of merchantability or fitness for a particular purpose.

The Limited Warranty will only apply:

1. If the product is installed in accordance with good plumbing and heating practices, applicable code requirements and BOW's current published installation instructions and,
2. If the product is not misused, abused, kinked, mishandled, damaged, improperly stored, or improperly exposed to UV or exposed to excessive heat, cold or pressure or incompatible media.

# Discover our broad portfolio at wavin.us

- Water management
- Heating and cooling
- Water and gas distribution
- Waste water drainage



Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose: To Advance Life Around the World.



Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions.

**Wavin** 950 Winter Street, South Entrance 1st Floor, Waltham, MA 02451, United States | 5700 Côte de Liesse Montréal, QC H4T 1B1  
Phone CAN 514-735-7585 / 1800-561-1169 | US 514-735-3632 / 1800-763-3632 | E-mail [wavin.northamerica@wavin.com](mailto:wavin.northamerica@wavin.com) | [wavin.us](http://wavin.us)

© 2023 Wavin Wavin reserves the right to make alterations without prior notice. Due to continuous product development, changes in technical specifications may change. Installation must comply with the installation instructions.